

Sept. 22 Board of Directors Meeting 7:30PM Ground Round Hwy100 & Bluewound

by Peter Kurth

NEW FALL WORKSHOP SCHEDULE ANNOUNCED.....

WHAT: Milatari is please to announce a new schedule of workshops. This new series of workshops will be held once each month. Each workshop session will deal with one topic of interest to club members.

WHEN: Workshops will be held on the first Wednesday of each month. The sessions will begin at 7:30 PM and be over by 9:30 PM.

WHERE: Waukesha State Bank Community Room, 110 Madison Street, Waukesha.

WHY: To provide you with information and support on a timely basis, on informative topics.

HOW: Each month we will bring together the resources from within the Atari community and from the micro-computer industry to make presentations, participate in panel discussions and assist in hands-on workshops.

The schedule for the rest of 1986 is:
October 1st

Telecommunications - A presentation of available telecommunications hardware and software for 8 and 16 bit Ataris.
Tutorials on how to access our club's BBS and well as GEnie^{IM} as Compu-Serve^{IM} will be given.

November 5th Computer languages - A presentation of languages available for the 8 and 16 bit Atari computers. What are their strengths and weeknesses. A panel discussion with the presentors will follow.

December 3rd Word processors - Hands on training session for the popular word processors on the 8 and 16 bits Atari computers.

Future plans: Spreadsheets, data bases, electronic publishing, etc. If you have any requests, please call Gary or Dave.





PAGE 2

FINE TUNING DOS

by Divemaster

E Reprinted from the March edition of the Alamo Area Atari User's Group newsletter with initial attribution to the DIVEMASTER, Sysop of the ATLANTIS BBS - 305/920-6203, 1

HOW TO DELETE "TWIN" FILES

Have you ever ended up with two (or more) files on your disk with the same filename? Do you end up cursing and screaming when you try to delete one of them, then find that DOS has deleted BOTH of them? There is a way around that, folks:

- 1.) Boot up DOS with BASIC in.
- In the immediate mode, type POKE 3118,0 [RETURN].
- 3.) Type DOS, and press [RETURN].

Now you'll be able to delete without losing both files, because by POKEing 3118,0, DOS will erase ONLY the first "twin" file. How about that?

SPEED UP DOS 2.0S

If your DOS 2.0S seems to write very slowly compared to other DOS's, that's 'cause it has a MRITE VERIFY built into it. You can easily create a new version of the DOS without the WRITE VERIFY built in. (Most of the time, you don't need it anyway — and some other DOS's give you the option of toggling it on and off). Here's what to do:

- 1.) Boot up DOS with BASIC in.
- In the immediate mode, type POKE 1913,80 [RETURN].
- 3.) Type DOS, and press [RETURN].
- Now, re-write DOS to your disk by using the Write DOS and DUP function of your DOS menu.

You have created a new DOS with the WRITE VERIFY turned off. It will write much faster now. COOL?

ARRCH! ERROR 164 AGAIN???!!!!

Awwww. You got an ERROR 164 again?? Well, did you know that you can still force DOS to load in the program anyway? ERROR 164 means that you have screwed-up data on your disk. If you have a LOT of garbage, you'll have a big problem. But what if only a little bit of your file got messed up, and you just KNOW that you could fix it if you could just get the file to load? Well, never

fear, do the following:

- 1.) Boot in DOS with BASIC in.
- In the immediate mode, type POKE 4148,234;POKE 4149,234 [RETURN],
- Now LOAD your program either from BASIC or from DOS.

You won't get ERROR 164 now. And, you can fix that garbled program Ain't that just peachy?

IF YOU HAVE MORE THAN 2 DRIVES

Some DOS's (like SMARTDOS, SpartaDOS, etc.) are built for systems with multiple drives, but other DOS's (Atari 2.0S, N-DOS, etc.) assume that you have only two drives, which is a no-no if you just bought a third drive and your DOS won't access it. Well, all you gotta do is the following:

- 1.) Boot in DOS with BASIC in.
- In the immediate mode, type POKE 1802,15 [RETURN].
- 3.) Type DOS and press [RETURN].
- Re-write DOS to your disk with the DOS menu function that writes DOS and DUP.

Now you'll have written a new DOS that WILL assume that you have as many as four drives. That ought to do ya!!

CHANGE WILDCARD " * " TO

If you like to play around with DOS and want to change your wildcard character from " * " to something else (and it's up to you as to just what that something else is), it's really pretty simple. Dig out your ol' manual that shows your ATASCII characters and values. You'll notice that the ATASCII value of the " * " character is 42. Now pick out whatever character you'd like to use instead, and look up its value. For example, suppose you prefer the " + " character. You'll notice that the " + " character has an ATASCII value of 46. To make the change, do the following:

- 1.) Boot in DOS with BASIC in.
- In the immediate mode, type POKE 3783,46 (or the ATASCII value of whatever character you picked) & press [RETURN].
- 3.) Type DOS and press [RETURN].
- Re-write DOS and DUP using the DOS menu function.

Now your new wild and crazy wildcard character is built right in !!


MORE ON PAGE 10





PAGE 3

Trigonometric Art With The 1020 Plotter by D. Kramer - BACE







PAGE 4

Direct Screen Writing
By Frank Daniel
Reprinted from SLCC Journal

Some years ago I was writing a program that in order to be user friendly required a few menus. Well as you can imagine, this was not too much of a problem. Anybody that has ever written a multi-tasking utility has used a menu at one time or another.

But as the program got larger, the number of menus got larger and most of the menus were getting sub-menus. This WAS getting to be a problem. Not only were these menus taking up a lot of memory, but it was taking longer and longer to get from point A to point B in the program.

Now there are two things I really hate. One is programs that gobble up too much memory. The other is waiting for the program to finish printing a menu. I faced a real dilemma. It is bad enough having just one of these problems in my programs. But both?? NO WAY!! My self respect could not take it. I had to do something!!

I was now faced with three options if I were to continue the project. These were:

- 1. Doing a complete rewrite of the command processor into a CPM type system.
- Developing a hybrid which would be a cross between the menu system and the CPM system.
 - 3. Find a way to change the menus fast.

I had to rule out the first option right off the top. A major rewrite just could not be done in the time available. The second option went very quickly afterwards. Though it would not mean a major rewrite, I just could not bring myself to do it (self respect again...drat it). All that left was changing the menus rapidly.

There are two methods of updating the screen quickly. One is page flipping and the other is direct screen writing.

Page flipping is the fastest method of changing the display known to an ATARI programmer. Just change two bytes in the display list and the whole screen changes. But with all this speed comes a few problems.

One, you have to preset all of your menus. By that I mean you have to make sure that all of the characters in the menu have been offset correctly. This is because ANTIC has its own set of character values which are very different from ASCII or ATASCII. Another problem is arranging the menus in memory. The ANTIC is a bit touchy about which page boundaries get passed when describing the screen's data area. (Hint: NEVER-EVER try to pass a 4K boundary!!)

The worst problem with page flipping though was the amount of memory it would use. The "GRAPHICS O" screen mode uses 760 bytes for it Load Memory Scan (LMS) or data area. Page flipping would require that a number of blocks this size be set aside for the exclusive use of the menu driver. Add to this the dead areas between the menus needed to prevent page boundary problems and you can easily see that the amount of usable program memory is quickly diminished.

That leaves direct screen writes. Doing direct writes also has its problems. The first, like page-flipping, is that most of the text requires offsetting. This is not a big problem. There are many ways to rectify this. You can precalculate the offsets or write a short program that does it for you. Another method is to include an offset routine in the program. This is not very efficient for a menu driver but is very necessary when the text is varied or unknown. I actually use this method in the preceding demo.

Another problem with direct writes is parameter passing. How do you tell the routine where the text is, how long it is and where on the screen to put it. The solution to this is also varied. The first that comes to mind is reserving a place in memory for the parameters. When dealing with BASIC though, it is easier to use the stack.





PAGE 5

A=USR(CDE, X, Y, ADR(A\$), LEN(A\$))

or the alternate

A=(CDE,ADR(A\$),LEN(A\$))

CDE is the address of the machine code string. X is the screen column and Y is the row position where you want to start the display. A\$ is the string to be displayed. If you do not pass an X and Y parameter, the routine assumes that you want to use the present cursor position as default.

The routine will display all characters with one exception. The EOL character (155) is used as a line delimeter. This for multi-line displays without the need of counting the characters. To go to the next line, simply insert an EOL character at the appropriate location in the string. One warning, the routine assumes that your starting column position is the left margin and will start from there.

While we are on the subject of warnings, let me caution you about a few items.

First, with the exception of screen position, the routine DOES NOT do any error checking. You can pass strings larger that the screen. This normally is not a problem, but forlorn is the person who does this with a relocated display list and no backup!

If you do make an error in the screen position, the value 141 (cursor out of range) will be passed back.

Do not let the machine code call a subroutine. BASIC gets a little confused. The program does not crash, but does not work right.



1 REM ** SAN LEANDRO COMPUTER CLUB ** 10 CLR 28 POKE 82,8:POKE 83,48:POKE 752,1:? " 30 DIM A\$(960),CODE\$(196)
40 REM ** CODE LODING ROUTING **
70 POSITION 13,2:? "LOADING CODE":FOR
I=1 TO 195:READ A:CODE\$(I,I)=CHR\$(A):N
EXT I 80 CDE-ADR(CODES)
90 REM ** INITIALIZE TEST STRING **
110 POSITION 10,4:? "INITIALIZING STRI
NG":FOR J=1 TO 40:FOR I=0 TO 23:K=I*40
+J:ASKK,KJ:=CHRS(G64+J)
120 MEGY T.MEYT 120 MEXT I:MEXT J
130 REM
140 REM ** SHOW SPEED DIFFERENCE BETHE
EM A PRINT AND A DIRECT WRITE ** 150 REM 160 ? """: POSITION 12,2:? "FIRST USE A PRINT": POKE 20,0
170 IF PEEK (20) (100 THEN 170
180 ? A\$;: POKE 20,0
190 IF PEEK (20) (50 THEN 190 NOW THE FAST HA . 218 FOR I=8 TO 1888: NEXT I 228 FOR I=8 TO 24:? :NEXT I:POSITION 8 29 A=USR(CDE, 8, 8, ADR(A\$), LEN(A\$)) 240 FOR I=8 TO 500: NEXT I 250 ? """:?" NON FOR A LITTLE NOW FOR A LITTLE FUN MITH"::POKE 20.0 260 IF PEEK(20) (100 THEN 260 280 REM ** SHOW POSITIONAL CAPABILITIE 5 ** 300 A\$="":A\$=" FAST RANDON screen BCCB 53 ":A\$(27,27)=CHR\$(30):A\$(1,1)=CHR\$(3 310 A=USR (CDE.5.2.ADR (AS) . LEN (AS)) : POK E 28,8 320 IF PEEK(20) <150 THEN 320 330 FOR I=10 TO 100:X=RND(0)*40:Y=RND(0)*24:A=USR(CDE,X,Y,ADR(A\$),LEN(A\$)) 0)*24:A=USR(CDE,X,Y,ADR(AS),LEN(AS))
340 MEXT I
350 FOR I=0 TO 150:MEXT I:? "%":POSITI
ON 14,2:? "END OF DEMO":END
370 REM ** DATA FOR MACHINE CODE **
370 DATA 169,0,162,5,149,203,202,16,25
1,104,201,2,208,6,164,84,166,85,208,27
,104,104,170,104
400 DATA 104,104,104,169,141,133,212,1
69,0,133,213,96,169
410 DATA 0,136,48,11,24,105,40,133,207
,144,246,230,208,208,242,165,207,24,10
1,88,133,207,165,208
420 DATA 101,89,133,208,138,24,101,207
,133,203,104,133,209,104
430 DATA 170,208,2,198,209,165,207,133
,205,165,208,133,206,160,8,177,203,201
,155,240,49,72,41,127
440 DATA 201,32,16,6,104,24,105,64,144
,11,201,76,16,6,104,56,233,32,176,1,10
4,145,205,200
450 DATA 208,4,230,204,230,206,202,208
,214,198,209,16,210,169,1,133,212,169,
0,133,213,96,202,208,4,198,209
460 DATA 48,240,165,207,24,105,40,133,207,144,2,230,208,152,56,101,203,133,2
407,144,2,230,208,152,56,101,203,133,2
407,144,2,230,208,152,56,101,203,133,2
407,144,2,230,208,152,56,101,203,133,2 340 NEXT I









Permission to reprint or excerpt is granted only if the following line appears at the top of the article:

ANTIC PUBLISHING INC., COPYRIGHT 1986.
REPRINTED BY PERMISSION.

PROFESSIONAL GEM By Tim Oren
Column #9 - VDI Graphics: Lines and Solids

This issue of ST PRO GEM is the first in a series of two which will explore the fundamentals of VDI graphics output. In this installment, we will take a look at the commands necessary to output simple graphics such as lines, squares and circles as well as more complex figures such as polygons. The following episode will take a first look at graphics text output, with an emphasis on ways to optimize its drawing speed.

A BIT OF HISTORY

One of the reasons that the VDI can be confusing is that drawing anything at all, even a simple line, can involve setting around four different VDI parameters before making the draw call! (Given the state of the GEM documents, just FINDING them can be fun!) Looking backwards a bit sheds some light on why the VDI is structured this way, and also gives us a framework for organizing a discussion of graphics output.

The GEM VDI closely follows the so-called GKS standard, which defines capabilities and calling sequences for a standardized graphic input/output system. GKS is itself an evolution from an early system called "Core". Both of these standards were born in the days when pen plotters, vectored graphics displays, and minicomputers were the latest items. So, if you wonder why setting the drawing pen color is a separate command, just think back a few years when it actually meant what it says! [The cynical may choose instead to ponder the benefits of standardization.]

When doing VDI output, it helps if you pretend that the display screen really is a plotter or some other separate device, which has its own internal parameters which you can set up and read back. The class of VDI commands called Attribute Functions let you set the parameters. Output Functions cause the "device" to actually draw someone once it is configured. The Inquire Functions let you read back the parameters if necessary.

There are two parameters which are relevant no matter what type of object you are trying to draw. They are the writing mode and the clipping rectangle. The writing mode is similar to that discussed in the column on raster operations. It determines what effect the figure you are drawing will have on data already on the screen. The writing mode is set with the call:

vswr mode(vdi handle, mode);

[Vdi_handle, here and below, is the handle obtained from graf_handle at the beginning of the program. Mode is a word which may be one of:

- 1 Replace Mode
- 2 Transparent Mode
- 3 XOR mode
- 4 Reverse Transparent Mode

In replace mode, whatever is on the screen is overwritten. If you are writing characters, this means the background of each character cell will be erased.

In transparent mode, only the pixels directly under the "positive" part of the image, that is, where 1-bits are being written, will be changed. When writing characters, the background of the cell will be left intact.

In XOR mode, an exclusive or is performed between the screen contents and what is being written. The effect is to reverse the image under areas where a 1-bit occurs.

Reverse transparent is like transparent, but with a "reverse color scheme". That is, only places where a O-bit is to be put are changed to the current writing color. When you write characters in reverse transparent (over white), the effect is reverse video.

The other common parameter is the clipping rectangle. It defines the area on the screen where the VDI is permitted to draw. Any output which would fall outside of this area is ignored; it is effectively a null operation. The clip rectangle is set with the call:

vs clip(vdi handle, flag, pxy);

Pxy is a four-word array. Pxy[0] and pxy[1] are the X and Y screen coordinates, respectively, of one corner of your clipping rectangle. Pxy[2] and pxy[3] are the coordinates of the diagonally opposite corner of the rectangle. [When working with the AES, use of a GRECT to define the clip is often more convenient. The routine set clip() in the download does this.)

Flag is set to TRUE if clipping is to be used. If you set it to FALSE, the entire screen is assumed to be fair game.

Normally, you should walk the rectangle list for the current window to obtain your clipping rectangles. [See PRO GEM #2 for more details.] However, turning off the clip speeds up all output operations, particularly text. You may do this ONLY when you are absolutely certain that the figure you are drawing will not extend out of the top-most window, or out of a dielog.

Extravagant Reference Mumber. 40.

/ ATARI 520 ST SYSTEM PACKAGE*

*Including RGB or Monochrome Monitor, Mouse, Disk Drive, Basic, Logo, Neochrome, 1st Word, TOS on ROM, and RF Modulator

SYSTEM

***769**RGB/COLOR
SYSTEM

*All 520ST
System Packages
are sold with a
Comput Ability
90 day warranty.

520ST ONE MEGABYTE UPGRADE

Computer must be sent in to service center

\$175

ATARI SF 314 DISK DRIVE

Double sided/ 1 Megabyte storage

\$209



Major Motion 24.95	Cornerman 31.95
Time Bandit 24.95	D.F.T 31.95
	The Animator 24.95
Solitaire 24.95	Mictron Util 37.95
Kissed 31.95	Mi-Term 31.95
	Softspool 24.95

*Prices effective now through August 31, 1986

SUPRA HARD DRIVES

10 Megabyte						649
20 Megabyte						
30 Megabyte						
60 Megabyte						Call

QMI ST 1200 BAUD MODEM

Direct connect with ST talk \$159

ATARI 520 ST · ATARI 1040 ST SOFTWARE

ST GRAPHICS

	INFOCOM ST
	Forever Voyaging 29.95
	Ballyhoo 27.95
	Cuthroats 27.95
	Deadline 34.95
	Enchanter 27.95
	Hitchiker 27.95
	Infidel 29.95
	Planetfall 27.95
	Sea Stalker 27.95
	Sorcerer 29.95
	Spellbreaker 34.95
	Starcross 34.95
	Suspect 29.95
	Suspended 34.95
	Wishbringer 27.95
	Witness 27.95
	Zork I 27.95
	Zork II or III 29.95
	OSS ST
	Personal Pascal 49.95
	Personal Prolog 79 95
	ST BUSINESS
2	VIP Professional 119 95
d	Synsoft Gen. Ledger 84 95
Ŕ	SBM (Point of Sales) 84 95
- 9	Cash Disbursements 69 95
	Sierra Accts. Rec 69 95
	Sierra Gen. Ledger 69.95
	Sierra Payroll 69.95
	VIP Lite 67 95
	Financial Cookbook 34 95
	manda coondook 54 /5

MILL		2		1	4	4	J
MICHTRON		Ī		Ī	Ī		
Alt						. 34	95
BBS						. 34	95
Business Tools .							
Calender				è		. 20	95
Cornerman							
D.F.T						. 34	95
DOS Shell						. 34	95
Echo							
Flipside						. 27	95
Goldrunner						. 27	95
Kissed						. 34	95
Lands of Havoc						. 16	95
M-Copy						54	95
M-Disk						. 27	95
Major Motion						27	95
Mi-Term						34.	95
Michtron Utilities	;					39	95
Mudpies						27	95
Softspool						27	95
Solitaire						27	95
The Animator						27	95
Time Bandits						27.	95
UIDDODOTA		'n	'n	i	C		
HIPPOPOTA							_
Almanac						23.	95
Disk Utilities	٠			٠		34.	95
Eprom Burner						99.	95
Jokes & Quotes						23.	95
Ramdisk						23.	95
Backgammon						27.	95

Hippoconcept

Hipposimple

Hippospell

PROCESSORS Final Word 94.95 Express 31.95 Paperclip Elite Call Regent Word 31.95 Regent Spell 31.95 Habawriter 54.95	Degas 27.95 N-Vision 27.95 Easy Draw 99.95 PC Board Designer 249 ST UTILITIES ST Toolbox 24.95 Macrodesk 20.95
ST DATABASES DB Man 69.95 H&D Base 64.95 Zoomracks 59.95	Deskmaster 27.95 ST Forth 31.95 Music Studio 39.95 Sound Wave 33.95 Abacus Books . Call
Comput	Ability
ORDER LI Mon-Fri. 11 a.m 7 p.m. CS	ilwaukee, WI 53217 NES OPEN T • Sat. 12 p.m 5 p.m. CST
800-55	8-0003
For Technica Inquiries, or fo	al Info, Order r Wisc. Orders

Call for our current low disk
prices on Sony & Maxell 3.5
Diskettes ·
ST ACCESSORIES
Flip n' File II-Micro 19.95
Dustcovers Call
3.5 Disk Drive Clean Kit Call
Mouse Pad 8.95
Mouse House 6.95
ST ADVENTURES
Ultima II
Crimson Crown 27.95
Farenheit 451 33.95
Transylvania 27.95
Treasure Island 27.95
King's Quest II 33.95
Perry Mason 33.95
Word Invaders 22.95
Borrowed Time 33.95
Hacker 29.95
9 Princes/Amber 33.95
Sundog 24.95
Mindshadow 33.95
Winnie The Pooh19.95
Black Cauldron 27.95
Amazon 33.95
Spiderman 16.95
Fantastic Four16.95
Sword of Kadash 27.95
Apshai Trilogy 27.95

DISKETTES

ST TELE-
COMMUNICATION
PC Intercom 84.95
ST Talk 17.95
ST PRINT
O
UTILITIES
Typesetter 24.95
Rubber Stamp 24.95
Printmaster 27.95
Art Gallery I 20.95
Fontwriter 27.95
ST ARCADE GAMES
Hex2795
Monkey Business 16.95
Delta Patrol16.95
Compubridge19.95
Bridge 4.0 20.95
Winter Games 27.95
Rogue 27.95
Diablo 20.95
Super Huey 27.95
Phantasie 27.95
Mean 18 34 95
Leader Board 27.95
Brattacus 33.95
Donald Duck 20.95
Silent Service Call
Flight Simulator II Call

ATARI is a trademark of ATARI, INC.

No surcharge for MasterCard

ST WORD



Universe II

or Visa

VISA

ORDERING INFORMATION: Please specify system. For fast delivery send cashier's check or money order. Personal and company checks allow 14 business days to clear. School P.O. is welcome. C.O.D. charges are \$3.00. In Continental U.S.A. include S3.00 for software orders. 4° shipping for hardware, minimum \$4.00. Master Card and Visa orders please include card #, expiration date and signature. WI residents please include 5° sales tax. HI. AK. FPO. APO. Puerto Rico and Canadian orders please add 5°. shipping, minimum \$5.00. All other loreign orders add 15° shipping, minimum \$10.00. All orders shipped outside the Continental U.S.A. are shipped first class insured U.S. mail. If foreign shipping charges exceed the minimum amount, you will be charged the additional amount to get your package to you quickly and safely. All goods are new and include factory warranty. Due to our low prices all sales are final. All defective returns must have a return authorization number. Please call (414) 351-2007 to obtain an R.A. # or your return will not be accepted. Prices and availability subject to change without notice.

414-351-2007



ATARI 130XE & 2 FREE Programs

our choice §139

This is shipped price anywhere in Continental USA

> **ATARI 850** INTERFACE ONLY \$109

MONITORS

Gold Star Amber 79.95
Commodore 1802 179
NEC 1225 Color139
Amdek Call
NAP Amber 89.95
Monitors Shipping \$10

PRINTER BUFFERS U-Buff 16K 79.95

U-Buff 64K 99.95 MODEMS
Prometheus 1200 299
Maxwell 1200 229
Supra 1200 AT 169
Atari XM-301 39.95

Supra 300 AT 44.95

ATARI 1050

Disk Drive with D.O.S. 2.5 included ^រ135

This is shipped price anywhere in Continental USA

ATARI XM-301 MODEM ONLY \$39.95

NX-10 PRINTER

U-Print A Interface \$299

This is shipped price anywhere in Continental USA

ATARI 1027 Printer & ATARIWRITER PLUS §129

130 XE COMPUTER PKG.

- 130XE Computer
- 1050 Disk Drive
- Music Painter
- 1027 Printer
- E.T.
- Atariwriter Plus Star Raiders
- Timewise

395

This is shipped price anywhere in Continental USA

PANASONIC 1091 & **U-PRINT A INTERFACE** \$299

This is shipped price anywhere in Continental USA



NX-10 .. Call SD-15.. 449 NL-10 .. Call SR-10.. Call SG-15.. 369 SR-15.. Call SD-10 .. 339

PRINTER INTERFACES

U-Print A.									49.95
MPP 1150									54.95
P.R. Conne	90	ct	i	0	n				59.95

SUPER SPECIAL

Buy any two software programs for the Atari 130XE or Atari 800/800XL at our everyday low price and choose one of these programs ABSOLUTELY FREE (while supplies last)

TIMEWISE E.T. PHONE HOME STAR RAIDERS

MUSIC PAINTER OLLIES FOLLIES ATARI PAINT KRAZY SHOOTOUT

*Prices effective now through August 31, 1986

800 XL • 1200 XL • 130 XE SOFTWARE ATARI 800

ACTIVISION Designer Pencil 17.95	MICROPROSE Silent Service 23.95		TTERIES INCLUDED	MISCELLANEOUS TAC III Joystick14.95	SSI Carrier Force 37.95
Cross Country Race 17.95	Gunship 23.95		er Clip 39.95	TAC II Joystick 12.95	Combat Leader 24.95
Hacker17.95	Accrojet 23.95		raph 34.95	Starfighter Joystick 9.95	Cosmic Balance 24.95
Mindshadow 17.95	F-15 Strike Eagle 23.95	Ballblazer 24.95	TASOFT	Silk Stik Joystick 7.95	Cosmic Balance II 24.95
Music Studio19.95	Decision in Desert 27.95	Summer Games 24.95	rnate Reality 24.95	Wico 3-Way Joystick 21.95	Broadsides 24.95 War in Russia 49.95
Space Shuttle 17.95	Kennedy Approach 23.95	World Karate 20.95	0 18.95	Mastertype 27.95 Flight Simulator 34.95	50 Mission Crush
BRODERBUND	Crusade in Europe 27.95 Conflict/Vietnam 27.95		nies 18.95	Home Accountant 49.95	Questron
Karateka 20.95		Megafont II 17.95 Nev	erending Story 18.95	Monkey Wrench-Cart 23.95	Rails West 24.95
Champ Loderunner 23.95	OPTIMIZED		an The Barbarian 18.95	Sargon III 34.95	Computer Ambush 37.95
Print Shop 28.95	SYSTEMS		ce Lee 18.95	Spy vs. Spy 23.95	Computer Baseball 24.95
Bank Street Writer 34.95	Basic XE 49.95		d Pursuit	Odesta Chess 49.95	Reforger 88 37.95
Print Shop Graphics	MAC 65XL 47.95		DIEI	Ramrod XL 69.95	Breakthru/Ardennes 37.95
I. II or III	Action 47.95	EST. 1982		Universe 69.95	Field of Fire 24.95
Prt. Shop Companion 27.95	Basic XL 39.95	Computer	71./	Beachead 21.95	Imperium Galatium 24.95
	All Tool Kits 19.95	$\bigcup omputa$	CDLLLTU	Letter Perfect 39.95	Oper, Market Garden 32.95
INFOCOM	ELECTRONIC ARTS			Data Perfect 39.95	Kampfgruppe 37.95 Comp Quarterback 24.95
Deadline	Archon 19.95			Data Perfect 39.95 Fleet System II 49.95	Colonial Conquest 24.95
Infidel	Archon II 24.95	P.O. Box 17882, Milwauke	ee, WI 53217	Strip Poker 23.95	Gemstone Warrior 21.95
Planetfall 24.95	Mule 19.95	ORDER LINES O	PEN	Halley Project 23.95	Six Gun Shootout 24.95
Sorcerer	Realm/Impossibility 19.95	Mon-Fri. 11 a.m 7 p.m. CST • Sat	12 nm - 5 nm CST	Micro League Base 29.95	Battle of Antietam 32.95
Starcross 29.95	Murder/Zinderneuf 19.95 Music Construction 19.95			Harcourt/Brace S.A.T., 49.95	USAAF 37.95
Suspended 27.95	Pinball Construction 19.95	To Order Call To	oll Free	Ultima II 37.95	Nam 2795
Witness 29.95	One on One			Ultima III 34.95	Panzer Grenider 24.95
Sea Stalker 24.95	Seven Cities of Gold 24.95	800-558	-0003	Ultima IV	Mech Brigade 39.95
Cutthroats 24.95	Financial Cookbook 29.95	000-330	-0003	Spy Hunter 29.95	Wizard's Crown 27.95
Suspect 27.95	Racing Destruction 24.95			Omnimon 69.95	SYNAPSE
Hitchhiker	Super Boulderdash 19.95	For Technical Inf	o. Order	Island Caper 23.95 General Magr / MLB 29.95	Syncalc 32.95
Zork II or III 27.95	Chessmaster 2000 27.95			Fight Night 19.95	Synfile
Wishbringer 27.95	GAMESTAR	Inquiries, or for Wi	sc. Orders	Hardball	Loderunner's Rescue 20.95 Syncalc Templates 16.95
Spellbreaker 29.95	Star League Baseball 17.95	444 054		Raid Over Moscow 23.95	Essex
Ballyhoo 27.95	Starbowl Football 17.95	414-351	.2007	Beachead II 23.95	Mindwheel 27.95
Fooblitsky 27.95	On Track Racing 17.95	T 1 T-00 1	2001	Star Fleet I 34.95	Brimstone 27.95

No surcharge for MasterCard ORDERING INFORMATION: Please specify system. For fast delivery send cashier's check or money order. Personal and company checks allow 14 business days to clear. School P.O.'s welcome C.O.D. charges are \$3.00. In Continental U.S.A. include S3 00 for software orders, 4% shipping for hardware, minimum \$4,00. Master Card and Visa orders please include card #, expiration date and signature. Wi residents please include 5% sales tax, HI, AK, FPO, APO, Puerto Rico and Canadian orders, please add 5% shipping, minimum \$5.00. All other foreign orders add 15% shipping, minimum \$10.00. All orders shipped outside the Continental U.S.A. are shipped first class insured U.S. mail. If foreign shipping charges exceed

the minimum amount, you will be charged the additional amount to get your package to you quickly and safely. All goods are new and include factory warranty. Due to our low prices all sales are final. All delective returns must have a return authorization number. Please call (414) 351-2007 to obtain an R.A. # or your return will not be accepted. Prices and availability subject to change without notice.





PAGE 7

THE LINE FORMS ON THE LEFT

The VDI line drawing operations include polyline, arc, elliptical arc, and rounded rectangle. I'll first look at the Attribute Functions for line drawing, then go through the drawing primitives themselves.

The most common used line attributes are color and width. The color is set with:

vsl color(vdi handle, color);

where color is one of the standard VDI color indices, ranging from zero to 15. (As discussed in column #6, the color which actually appears will depend on the pallette setting of your ST.)

The line width may only be set to ODD positive values, for reasons of symmetry. If you try to set an even value, the VDI will take the next lower odd value. The call is:

vsl width(vdi handle, width);

The two less used line parameters are the end style and pattern. With the end style you can cause the output line to have rounded ends or arrowhead ends. The call is:

vsl ends(vdi handle, begin style, end style);

Begin style and end style are each words which may have the values zero for square ends (the default), one for arrowed ends, or two for rounded ends. They determine the styles for the starting and finishing ends of the line, respectively.

The line pattern attribute can select dotted or dashed lines as well as more complicated patterns. Before continuing, you should note one warning: VDI line output DOES NOT compensate for pixel aspect ratio. That is, the dashes on a line will look twice as long drawn vertically on a medium-res ST screen as they do when drawn horizontally. The command for setting the pattern is:

vsl_type(vdi_handle, style);
Style is a word with a value between 1 and 7. The styles
selected are:

- 1 Solid (the default)
- 2 Long Dash
- 3 Dot
- 4 Dash, Dot
- 5 Dash
- 6 Dash, Dot, Dot
- 7 (User defined style)

The user defined style is determined by a 16-bit pattern supplied by the application. A one bit in the pattern turns a pixel on, a zero bit leaves it off. The pattern is cycled through repeatedly, using the high bit first. To use a custom style, you must make the call:

vsl_udsty(vdi_handle, pattern);
before doing vsl type().

As I mentioned above, the line type Output Functions available are polyline, circular and ellliptical arc, and rounded rectangle. Each has its own calling sequence. The call for a polyline is:

v pline(vdi handle, points, pxy);

Points tells how many vertices will appear on the polyline. For instance, a straight line has two vertices: the end and the beginning. A closed square would have five, with the first and last identical. [There is no requirement that the figure described be closed.]

The pxy array contains the X and Y raster coordinates for the vertices, with a total of 2 * points entries. Pxy[0] and pxy[1] are the first X-Y pair, and so on.

If you happen to be using the XOR drawing mode, remember that drawing twice at a point is equivalent to no drawing at all. Therefore, for a figure to appear closed in XOR mode, the final stroke should actually stop one pixel short of the origin of the figure.

You may notice that in the GEM VDI manual the rounded rectangle and arc commands are referred to as GDPs [Generalized Drawing Primitives]. This denotation is historical in nature, and has no effect unless you are writing your own VDI bindings.

The rounded rectangle is nice to use for customized buttons in windows and dialogs. It gives a "softer" look to the screen than the standard square objects. The drawing command is:

v rbox(vdi handle, pxy);

Pxy is a four word array giving opposite corners of the rectangle, just as for the vs clip() call. The corner rounding occurs within the confines of this rectangle. Nothing will protrude unless you specify a line thickness greater than one. The corner rounding is approximately circular; there is no user control over the degree or shape of rounding.

Both the arc and elliptical arc commands use a curious method of specifying angles. The units are tenths of degrees, so an entire circle is 3600 units. The count starts at ninety degrees right of vertical, and proceeds counterclockwise. This means that "3 o'clock" is 0 units, "noon" is 900 units, "9 o'clock" is 1800 units, and 2700 units is at "half-past". 3600 units take you back to "3 o'clock".





PAGE 8

The command for drawing a circular arc is:

v_arc[vdi_handle, x, y, radius, begin, end];
X and y specify the raster coordinates of the certer of
the circle. Radius specifies the distance from center to
all points on the arc. Begin and end are angles given in
units as described above, both with values between 0 and
3600. The drawing of the arc ALWAYS proceeds
counterclockwise, in the direction of increasing arc

3600. The drawing of the arc ALWAYS proceeds counterclockwise, in the direction of increasing arc number. So values of 0 and 900 for begin and end would draw a quarter circle from "three o'clock" to "noon". Reversing the values would draw the other three quarters of the

circle.

A v_arc[] command which specifies a "full turn" is the fastest way to draw a complete circle on the screen. Be warned, however, that the circle drawing algorithm used in the VDI seems to have some serious shortcomings at small radii! You can experiment with the CIRCLE primitive in ST Logo, which uses v arc[], to see what I mean.

Notice that if you want an arc to strike one or more given points on the screen, then you are in for some trigonometry. If your math is a bit rusty, I highly recommend the book "A Programmer's Geometry", by Bowyer and Woodwark, published by Butterworths (London, Boston, Toronto).

Finally, the elliptical arc is generated with:

vellarc(vdi handle, x, y, xrad, yrad, begin, end);
X, y, begin, and end are just as before. Xrad and yrad
give the horizontal and vertical radii of the defining
ellipse. This means that the distance of the arc from
center will be yrad pixels at "noon" and "half-past", and
it will be xrad pixels at "3 and 9 o'clock". Again, the arc
is always drawn counterclockwise.

There are a number of approaches to keeping the VDI's attributes "in sync" with the actual output operations. Probably the LEAST efficient is to use the Inquire Functions to determine the current attributes. For this reason, I have omitted a discussion of these calls from this column.

Another idea is to keep a local copy of all significant attributes, use a test-before-set method to minimize the number of Attribute Functions which need to be called. This puts a burden on the programmer to be sure that the local attribute variables are correctly maintained. Failure to do so may result in obscure drawing bugs. If your application employs user defined AES objects, you must be very careful because GEM might call your draw code in the middle of a VDI operation (particularly if the user defined objects are in the menu).

Always setting the attributes is a simplistic method, but often proves most effective. The routines pl_perim() and rr_perim() in the download exhibit this approach. Modification for other primitives is straightforward. This style is most useful when drawing operations are scattered throughout the program, so that keeping track of the current attribute status is difficult. Although inherently inefficient, the difference is not very noticable if the drawing operation requested is itself time consuming.

In many applications, such as data graphing programs or "Draw" packages, the output operations are centralized, forming the primary functionality of the code. In this case, it is both easy and efficient to keep track of attribute status between successive drawing operations.

SOLIDS

There are a wider variety of VDI calls for drawing solid figures. They include rectangle or bar, disk, pie, ellipse, elliptical pie, filled rounded rectangle, and filled polygonal area. Of course, filled figure calls also have their own set of attributes which you will need to set.

The fill color index determines what pen color will be used to draw the solid. It is set with:

vsf color(vdi handle, color);

Color is just the same as for line drawing. A solid may or may not have a visible border. This is determined with the call:

vsf perimeter(vdi handle, vis);

Vis is a Boolean. If it is true, the figure will be given a solid one pixel outline in the current fill color index. This is often useful to improve the appearance of solids drawn with a dithered fill pattern. If vis is false, then no outline is drawn.

There are two parameters which together determine the pattern used to fill your figure. They are called interior style and interior index. The style determines the general type of fill, and the index is used to select a particular pattern if necessary. The style is set with the command:

vsf interior(vdi handle, style);

where style is a value from zero through four. Zero selects a hollow style: the fill is performed in color zero, which is usually white. Style one selects a solid fill with the current fill color. A style of two is called "pattern" and a three is called "hatch", which are to somewhat suggestive of the options which can then be selected using the interior index. Style four selects the user defined pattern, which is described below.





PAGE 9

The interior index is only significant for styles two and three. To set it, use:

vsf style(vdi handle, index);

(Be careful here: it is very easy to confuse this call with the one above due to the unfortunate choice of name.) The index selects the actual drawing pattern. The GEM VDI manual shows fill patterns corresponding to index values from 1 to 24 under style 2, and from 1 to 12 under style 3. However, some of these are implemented differently on the ST. Rather than try to describe them all here, I would suggest that you experiment. You can do so easily in ST Logo by opening the Graphics Settings dialog and playing with the style and index values there.

The user defined style gives you some interesting options for multi-color fills. It is set with:

vsf udpat(vdi handle, pattern, planes);

Planes determines the number of color planes in the pattern which you supply. It is set to one if you are setting a monochrome pattern. (Remember, monochrome is not necessarily black). It may be set to higher values on color systems: two for ST medium-res mode, or four for low-res mode. If you use a number lower than four under low-res, the other planes are zero filled.

The pattern parameter is an array of words which is a multiple of 16 words long. The pattern determined is 16 by 16 pixels, with each word forming one row of the pattern. The rows are arranged top to bottom, with the most significant bit to the left. If you have selected a multi-plane pattern, the entire first plane is stored, then the second, and so on.

Note that to use a multi-plane pattern, you set the writing mode to replace using vswr_mode(). Since the each plane can be different, you can produce multi-colored patterns. If you use a writing color other than black, some of the planes may "disappear".

Most of the solids Output Functions have analogous line drawing commands. The polyline command corresponds to the filled area primitive. The filled area routine is:

v fillarea(vdi handle, count, pxy);

Count and pxy are just the same as for v_pline(). If the polygon defined by pxy is not closed, then the VDI will force closure with a straight line from the last to the first point. The polygon may be concave or self-intersecting. If perimeter show is on, the area will be outlined.

One note of caution is necessary for both v fillarea() and v pline(). There is a limit on the number of points which may be stored in pxy[]. This limit occurs because the contents of pxy[] are copied to the intin(] binding array before the VDI is called. You can determine the maximum number of vertices by checking intout[14] after using the extended inquire function valuated().

For reasons unknown to this writer, there are TWO different filled rectangle commands in the VDI. The first is

vr recfl[vdi handle, pxy];

Pxy is a four word array defining two opposite corners of the rectangle, just as in vs clip(). Vr recfl() uses the fill attribute settings, except that it NEVER draws a perimeter.

The other rectangle routine is v_bar(), with exactly the same arguments as vr_recfl(). The only difference is that the perimeter setting IS respected. These two routines are the fastest way to produce a solid rectangle using the VDI. They may be used in XOR mode with a BLACK fill color to quickly invert an area of the screen. You can improve the speed even further by turning off the clip (if possible), and byte aligning the left and right edges of the rectangle.

Separate commands are provided for solid circle and ellipse. The circle call is:

v_circle(vdi_handle, x, y, radius);

and the ellipse command is:

v ellipse(vdi handle, x, y, xrad, yrad);

All of the parameters are identical to those given above for v arc[] and v ellerc[]. The solid analogue of an arc is a "pie slice". The VDI pie commands are:

v_pieslice(vdi_handle, x, y, radius, begin, end);
for a slice from a circular pie, and

v ellpie(vdi handle, x, y, xrad, yrad, begin, end); for a slice from a "squeshed" pie. Again, the parameters are identical to those in v arc() and v ellerc(). The units and drawing order of angles are also the same. The final solids Output Function is:

v rfbox(vdi handle, pxy);

which draws a filled rounded rectangle. The pxy array defines two two opposite corners of the bounding box, as shown for vs clip().

The issues involved in correctly setting the VDI attributes for a fill operation are identical to those in drawing lines. For those who want to employ the "always set" method, I have again included two skeleton routines in the download, which can be modified as desired.

TO BE CONTINUED

This concludes the first part of our expedition through besic VDI operations. The next issue will tackle the problems of drawing bit mapped text at a reasonable speed. This first pass will not attempt to tackle alternate or proportional fonts, or alternate font sizes. Instead, I will concentrate on techniques for squeezing greater performance out of the standard monospaced system fonts.





PAGE 10

```
>>>>>>>> Routines to set clip to a GRECT <<<<<<<<<
   grect_to_array(area, array)
GRECT *area;
WORD *array;
                                                                          /* convert x,y,w,h to upr lt x,y and
                      \
*array++ = area->g_x;
*array++ = area->g_x + array++ = area->g_x + area->g_b - + array = area->g_b - 1;
 VOID
set_clip(clip_flag, s_area)
WORD clip_flag;
GRECT *s_area;
                                                                             /* set clip to specified are
                      WORD pxy(4);
                     grect_to_array(s_area, pxy);
vs_clip(vdi_handle, clip_flag, pxy);
  >>>>>>> Routines to set attributes before output ((((((((
  rr_perim(mode, color, type, width, pxy)
WORD mode, color, width, *pxy;
                     varr_mode(vdl_handle, mode);
vsl_color(vdl_handle, color);
vsl_tope(vdl_handle, type);
vsl_vsldth(vdl_handle, width);
v_rbox(vdl_handle, width);
v_rbox(vdl_handle, MD_REPLACE);
vswr_mode(vdl_handle, MD_REPLACE);
VOID
pl_perim(mode, type, color, width, npts, pxy) /* Draw a polygonal */
/* figure */
WORD mode, type, color, width, npts, *pxy;
                   {
vawr_mode(vdi_handle, mode);
val_type(vdi_handle, type);
val_color(vdi_handle, color);
val_width(vdi_handle, width);
v_pline(vdi_handle, npts, pxy);
}
VOID

/* Draw a filled polygonal area */
pl_fill(ande, peris, color, interior, style, npts, pxy)

WORD ande, peris, color, interior, style, npts, *pxy;
                    vaw_aode(vdl_handle, mode);
vaf_color(vdl_handle, color);
vaf_atyle(vdl_handle, etyle);
vaf_interior(vdl_handle, interior);
vaf_periseter(vdl_handle, peria);
v_flilarea(vdl_handle, peria);
v_flilarea(vdl_handle, peria);
VOID /* Draw a filled rectangle rect_fill(ande, perim, color, interior, style, pxy)
WORD mode, perim, color, style, interior, *pxy;
                   vsur_aode(vdi_handle, aode);
vsi_color(vdi_handle, color);
vsi_ctrie(vdi_handle, style);
vsi_interior(vdi_handle, interior);
vsi_periseter(vdi_handle, pris);
vr_reofi(vdi_handle, pry);
```



I been waiting for YOU to write an Article for the MILATARI Newsletter

t Hours

11-5710 3

LATAR: BBS

From Page 2

MAKE LOWER CASE FILENAMES

Yes, fans, you CAN use lowercase letters for your disk filenames. You see that in MYDOS, right? Here's how you can do it with ANY DOS! If you look at the ATASCII codes, you'll see that the value of "O" (zero) is 48, and the value of lowercase "z" is 122. Do this:

- 1.) Boot in DOS with BASIC in.
- In the immediate mode type POKE 3818,48:POKE 3822,123 [RETURN].
- 3.) Type DOS and press [RETURN].
- Re-write DOS to your disk with the write DOS and DUP menu option.

These pokes set in the parameters to accept ATASCII values in the filenames starting from 48 and ending with 122 (but the 123 you see in the POKE above is correct). It's risky to go higher than 123, so just stick to what I told ya here. IT REALLY WORKS!!!

OPEN UP TO 7 FILES IN DOS

Have you ever noticed that you can have no more than three files open at one time in DOS? But ATARI allows you to have seven files, so why not also be allowed to have all seven of them to be opened at once? This is a free country, isn't it? Well, it ain't so tough to do. If you want to be able to open more than three files at once, just do this:

- 1.) Boot in DOS with BASIC in.
- In the immediate mode, type POKE 1801,7 [RETURN].
- 3,) Type DOS and press [RETURN].
- Re-write DOS and DUP to your disk with the DOS function menu.

A word of caution, though. Each file that you allow to be open uses a 128 byte data buffer. So you shouldn't open more files (or reserve more space) than you actually need. If, for example, you'll only need to open five files at once, then POKE 1801,5. See how it works?

(Another word of caution from the Editor. Be careful and try not to mix up the disks with the modified DOS with your normal versions. Both you and your friends may be confused and perplexed in the futurifyou inadvertently spread these modified versions 6. DOS around.)

MILWAUKEE AREA ATARI USER'S GROUP AND NEWSLETTER INFORMATION

MILATARI OFFICERS							
President	Ron Friedel	354-1717					
Vice President	Steve Tupper	462-8178					
Secretary	Steve Armstrong	543-9039					
Treasurer	Carl Mielcarek	355-3539					
MIL	ATARI VOLUNTEERS						
MILATARI West	Dennis Bogie	968-2361					
Education SIG	Joe Sanders	447-1660					
ATR8000 & CP/M	Joe Griesemer	673-6663					
BBS Sysop	Richard Dankert	781-2338					
Membership	Dave Bogie	968-2361					
Newsletter	Roy Duvall	363-8231					
	Libraries						
Cassette &							
Copyright	Lee Musial	466-9160					
Disk	Dennis Wilson	476-7767					
	Bill Lawrence	968-3082					
Publications	Bill Feest	321-4314					

Milatari BBS 300 Baud 24hrs. 414-781-5710

NEWSLETTER INFORMATION

This newsletter is written and printed by members of the Milwaukee Area ATARI User's Group (MILATARI). Opinions expressed in this publication are those of the individual authors and do not necessarily represent or reflect the opinions of the Milwaukee Area Atari User's Group, its officers, its members or its advertisers except where noted. Articles reprinted from bulletin boards and other newsletters are presented as an information exchange, no warranty is made to their accuracy or factuality.

Your contributions of articles are always welcome. You may submit your article on ATARI compatible cassette or diskette, on typewritten form or you can arrange with the editor to upload your file via modem. You can send Graphics eight or seven plus screens stored on disk in Micropainter or Micro Illustrator formats.

Bored with the Newsletter? Write a review, an article.

Milwaukee Area Atari User's Group

MILATARI is an independent, user education group which is not affiliated with ATARI INC. The newsletter is the official publication of MILATARI and is intended for the education of its members as well as for the dissemination of information concerning ATARI computer products.

MILATARI membership is open to individuals and families who are interested in using and programming ATARI computers. The membership includes a subscription to this newsletter and access to the club libraries. The annual membership fee is \$15 for individuals or \$20 for a family.

Vendors wishing to display and/or sell items at MILATARI meetings must make prior arrangements with the club vice president. Rates are \$10 per meeting or \$90 per year payable in advance.

All material in this newsletter not bearing a COPYRIGHT message may be reprinted in any form, provided that MILATARI and the author are given credit.

Other computer user groups may obtain copies of this newsletter on an exchange basis.

MILATARI ADVERTISING RATES

This newsletter will accept camera ready advertising copy from anyone supplying goods and services of interest to our membership.

Current paid members of MILATARI may place classified ads in the newsletter at no charge.

Advertising Rates

Full page	\$37.50
Half page	\$20.00
Quarter page	\$12.50
Business card	\$2.00



U.S. POSTAGE PAID
BULK RATE
PERMIT NO. 201
WAUKESHA, WI 53187

MILWAUKEE AREA ATARI USERS GROUP
Post Office Box 19858
West Allis, Wisconsin 53219-0858



Don't be Piggish with your knowledge Share it in an article in the MILATARI Newsletter



Coming Tuesday, September 2nd . . . COMPUTER SOFTWARE CENTER IS ON THE MOVE!

Computer Software Center will be moving into a newer and larger shopping center, less than a mile west of our present location, and begin new more convenient store hours on Tuesday, September 2nd:

NEW 10710 W. OKLAHOMA AVENUE
ADDRESS (in the Dakridge Shopping Center)

NEW Tuesday-Friday 10AM-7PM
STORE Saturday 10AM-4PM
HOURS Closed Sundays, Mondays & Holidays

Until September 2nd, we will be at our 98th Street store . .

COMPUTER SOFTWARE CENTER 9805 W. Oklahoma Ave., Milwaukee

(Two blocks East of Interetate 894)

Tues.-Fri. 12-8, Sat. 12-5





(414) 543-5123